

SDS Revision Date:

07/17/2015

1. Identification

1.1. Product identifier	
Product Identity	AC-39
Alternate Names	AC-39
1.2. Relevant identified uses of the substance or mize	xture and uses advised against
Intended use	See Technical Data Sheet.
Application Method	See Technical Data Sheet.
1.3. Details of the supplier of the safety data sheet	
Company Name	Broadview Technologies
	7-33 Amsterdam Street
	Newark, NJ 07105
Emergency	
CHEMTREC (USA)	(800) 424-9300
Customer Service: Broadview Technologies	(973)-465-0077

2. Hazard(s) identification

2.1. Classification of the substance or mixture

Skin Irrit. 2;H315Causes skin irritation.Eye Irrit. 2;H319Causes serious eye irritation.

2.2. Label elements

Using the Toxicity Data listed in section 11 and 12 the product is labeled as follows.



H315 Causes skin irritation. H319 Causes serious eye irritation.

ROADVIEW TECHNOLOGIES INC.

SDS Revision Date:

07/17/2015

[Prevention]:

P264 Wash thoroughly after handling.

P280 Wear protective gloves / eye protection / face protection.

[Response]:

P302+352 IF ON SKIN: Wash with plenty of soap and water.

P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing.

P321 Specific treatment (see information on this label).

P332+313 If skin irritation occurs: Get medical advice / attention.

P337+313 If eye irritation persists: Get medical advice / attention.

P362 Take off contaminated clothing and wash before reuse.

[Storage]:

No GHS storage statements

[Disposal]:

No GHS disposal statements

3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
Polypropylene Glycol di(dodecenylsuccinate) CAS Number: 0068422-23-1	75 - 100	Skin Irrit. 2;H315 Eye Irrit. 2;H319 Aquatic Chronic 3;H412	[1]

In accordance with paragraph (i) of §1910.1200, the specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

[1] Substance classified with a health or environmental hazard.

[2] Substance with a workplace exposure limit.

[3] PBT-substance or vPvB-substance. *The full texts of the phrases are shown in Section 16.

4. First aid measures

4.1. Description of first aid measures

General	In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.
Inhalation	Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give artificial respiration. If unconscious place in the recovery position and obtain immediate medical attention. Give nothing by mouth.
Eyes	Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart and



SDS Revision Date:

07/17/2015

	seek medical attention.
Skin	Remove contaminated clothing. Wash skin thoroughly with soap and water or use a recognized skin cleanser.
Ingestion	If swallowed obtain immediate medical attention. Keep at rest. Do NOT induce vomiting.
4.2. Most important sy	mptoms and effects, both acute and delayed
Overview	No information found for human overexposure. Based on available animal toxicity information for related materials, it is anticipated that direct contact with this material will produce skin and eye irritation. Mists or vapors may be irritating to the respiratory tract. See section 2 for further details.
Eyes	Causes serious eye irritation.
Skin	Causes skin irritation.

5. Fire-fighting measures

5.1. Extinguishing media

Foam, Dry Chemical, Water, and Carbon Dioxide

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition: Thermal decomposition may produce toxic organic vapors/fumes and oxides of carbon.

5.3. Advice for fire-fighters

Firefighting personnel must wear NIOSHJ/MSHA approved self-contained breathing apparatus and protective clothing. Cool fire-exposed containers with water spray.

Products of combustion are toxic. If water must be used, use a fog nozzle to avoid spread of burning liquid and increased evaporation of volatile, flammable material.

ERG Guide No.

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

6.2. Environmental precautions

Do not allow spills to enter drains or waterways.

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

6.3. Methods and material for containment and cleaning up

Caution! Floors may become slippery. Wear appropriate protective gear and NIOSH/MSHA approved respirator where mists or vapors of unknown concentrations may be generated (self-contained breathing apparatus preferred). Dike and contain spill with inert material (sand, earth, etc.). Transfer the liquid and solid separately to containers for

AC-39

SDS Revision Date:

07/17/2015



recovery or disposal. Keep spill out of sewer and open bodies of water.

7. Handling and storage

7.1. Precautions for safe handling

See section 2 for further details. - [Prevention]:

7.2. Conditions for safe storage, including any incompatibilities

Keep Containers tightly closed until used.

Incompatible materials: Incompatible with bases and oxidizing agents.

See section 2 for further details. - [Storage]:

7.3. Specific end use(s)

No data available.

8. Exposure controls and personal protection

8.1. Control parameters

Exposure

CAS No.	Ingredient	Source	Value
0068422-23-1	1 Polypropylene Glycol di(dodecenylsuccinate)	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
		Supplier	No Established Limit

Carcinogen Data

CAS No.	Ingredient	Source	Value
0068422-23-1			Select Carcinogen: No
	di(dodecenylsuccinate)	NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;

8.2. Exposure controls

Respiratory	In processes where mists or vapors may be generated, proper ventilation must be provided in accordance with good ventilation practices. In the absence of proper environmental controls, a NIOSH/MSHA jointly approved respirator is advised.
Eyes	Wear chemical goggles where there is potential for eye contact. Use safety glasses with side shields under normal use conditions.
Skin	To prevent skin contact, rubber or neoprene gloves are recommended.
Engineering Controls	Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits



SDS Revision Date:

07/17/2015

suitable respiratory protection must be worn.

Other Work Practices

Eye wash stations, safety showers, and protective clothing should be provided to all workers. Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

See section 2 for further details. - [Prevention]:

9. Physical and chemical properties

Appearance Odor Odor threshold pH Melting point / freezing point Initial boiling point and boiling range Flash Point Evaporation rate (Ether = 1) Flammability (solid, gas) Upper/lower flammability or explosive limits

Vapor pressure (Pa) Vapor Density Specific Gravity Solubility in Water Partition coefficient n-octanol/water (Log Kow) Auto-ignition temperature Decomposition temperature Viscosity (cSt) VOC Content 9.2. Other information No other relevant information. Yellow Liquid Slight Not determined Not Measured Not Measured >340°C 175°C (Closed Cup) Less than Butyl Acetate Not Applicable Lower Explosive Limit: Not Measured Upper Explosive Limit: Not Measured 0.01 mmHg at 20°C Not Measured Not Measured Insoluble Not Measured Not Measured Not Measured Not Measured Nil

10. Stability and reactivity

10.1. Reactivity

Hazardous Polymerization will not occur.

BROADVIEW TECHNOLOGIES INC. SDS Revision Date:

07/17/2015

10.2. Chemical stability

Stable under normal circumstances.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

Avoid moisture and heat.

10.5. Incompatible materials

Incompatible with bases and oxidizing agents.

10.6. Hazardous decomposition products

Thermal decomposition may produce toxic organic vapors/fumes and oxides of carbon.

11. Toxicological information

Acute toxicity

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
Polypropylene Glycol di(dodecenylsuccinate) - (68422-	No data	No data	No data	No data	No data
23-1)	available	available	available	available	available

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Classification	Category	Hazard Description
Acute toxicity (oral)		Not Applicable
Acute toxicity (dermal)		Not Applicable
Acute toxicity (inhalation)		Not Applicable
Skin corrosion/irritation	2	Causes skin irritation.
Serious eye damage/irritation	2	Causes serious eye irritation.
Respiratory sensitization		Not Applicable
Skin sensitization		Not Applicable
Germ cell mutagenicity		Not Applicable
Carcinogenicity		Not Applicable
Reproductive toxicity		Not Applicable
STOT-single exposure		Not Applicable
STOT-repeated exposure		Not Applicable

BROADVIEW TECHNOLOGIES INC.

Aspiration hazard

SDS Revision Date:

07/17/2015

Not Applicable

12. Ecological information

12.1. Toxicity

No additional information provided for this product. See Section 3 for chemical specific data. **Aquatic Ecotoxicity**

Ingredient	96 hr LC50 fish,	48 hr EC50 crustacea,	ErC50 algae,
	mg/l	mg/l	mg/l
Polypropylene Glycol di(dodecenylsuccinate) - (68422- 23-1)	Not Available	Not Available	Not Available

12.2. Persistence and degradability

There is no data available on the preparation itself.

12.3. Bioaccumulative potential Not Measured
12.4. Mobility in soil No data available.
12.5. Results of PBT and vPvB assessment This product contains no PBT/vPvB chemicals.
12.6. Other adverse effects No data available.

13. Disposal considerations

13.1. Waste treatment methods

Observe all federal, state and local regulations when disposing of this substance.

14. Transport information				
	DOT (Domestic Surface Transportation)	IMO / IMDG (Ocean Transportation)	ICAO/IATA	
14.1. UN number	Not Applicable	Not Regulated	Not Regulated	
14.2. UN proper shipping name	Not Regulated	Not Regulated	Not Regulated	
14.3. Transport hazard class(es)	DOT Hazard Class: Not Applicable	IMDG: Not Applicable Sub Class: Not Applicable	Air Class: Not Applicable	

AC-39

SDS Revision Date:

07/17/2015



14.4. Packing group Not Applicable

Not Applicable

Not Applicable

14.5. Environmental hazards

IMDG Marine Pollutant: No

14.6. Special precautions for user

No further information

15. Regulatory information

Regulatory Overview	The regulatory data in Section 15 is not intended to be all-inclusive, only selected regulations are represented.		
Toxic Substance Control Act (TSCA)	All components of this material are either listed or exempt from listing on the TSCA Inventory.		
WHMIS Classification	D2B		
US EPA Tier II Hazards	Fire: No		
	Sudden Release of Pressure: No		

Reactive: No

Immediate (Acute): Yes

Delayed (Chronic): No

EPCRA 311/312 Chemicals and RQs:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

EPCRA 302 Extremely Hazardous:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

EPCRA 313 Toxic Chemicals:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Carcinogens (>0.0%): Propylene oxide

Proposition 65 - Developmental Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Female Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Male Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

New Jersey RTK Substances (>1%) :

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Pennsylvania RTK Substances (>1%) :

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

SDS Revision Date:

07/17/2015



16. Other information

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

This is the first version in the GHS SDS format. Listings of changes from previous versions in other formats are not applicable.

End of Document