

According to Hazard Communication Standard (29 CFR 1910.1200)

Tetrahydromethylphthalic anhydride NT

Issue date: 07/14/2015 Version 1.0 Revision date: 07/14/2015

1. Product and Company Identification

Product name: Tetrahydromethylphthalic anhydride NT

Synonyms: -

CAS #: The product is a mixture (See section 3)

Product code: -

Product use: Industrial use as a hardener for epoxy resins, as such or in a mixture.

Manufacturer/Supplier:

Supplier(Manufacturer): Polynt S.p.A.

Address: Via Enrico Fermi 51

24020 Scanzorosciate (BG)

ITALY

Contact person(E-mail): msds@polynt.com Telephone: +39 035 652 111

Fax:

Emergency telephone Number: +39 035 652 276

2. Hazard(s) identification

GHS classification

Physical hazards Not classified

Health hazards Serious eye damage/eye irritation Category 1

Skin sensitization Category 1
Respiratory sensitization Category 1

Environmental hazards Not classified

GHS label elements

Hazard Pictograms



Signal word Danger

Hazard statement Causes serious eye damage.

May cause an allergic skin reaction.

May cause allergy or asthma symptoms or breathing difficulties if inhaled.



According to Hazard Communication Standard (29 CFR 1910.1200)

Tetrahydromethylphthalic anhydride NT

Issue date: 07/14/2015 Version 1.0 Revision date: 07/14/2015

Precautionary statement:

Prevention: Avoid breathing dust/fume/gas/mist/vapors/spray.

Wear protective gloves/eye protection/face protection.

Contaminated work clothing must not be allowed out of the workplace.

[In case of inadequate ventilation] wear respiratory protection.

Response: If on skin: Wash with plenty of soap and water.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center /doctor. If inhaled: If breathing is difficult, remove person to fresh air and keep comfortable for

breathing.

If skin irritation or rash occurs: Get medical advice/attention.

If experiencing respiratory symptoms: Call a poison center/ doctor.

Wash contaminated clothing before reuse.

Storage: Not applicable.

Disposal: Dispose of contents/container to waste in accordance with local, regional, national

and international regulations.

3. Composition / Information on Ingredients

Components	CAS#	Percent	GHS Classification
tetrahydro-4-methylphthalic anhydride	34090-76-1	55% - 70%	H318 Eye Dam. 1 H334 Resp. Sens. 1 H317 Skin Sens. 1
1,2,3,6-tetrahydro-3-methylphthalic anhydride	5333-84-6	20% - 30%	H318 Eye Dam. 1 H334 Resp. Sens. 1 H317 Skin Sens. 1
1,2,3,6-tetrahydrophthalic anhydride	85-43-8	1% - 10%	H318 Eye Dam. 1 H334 Resp. Sens. 1 H317 Skin Sens. 1 H412 Aquatic Chronic 3
hexahydro-4-methylphthalic anhydride	19438-60-9	1% - 10%	H318 Eye Dam. 1 H334 Resp. Sens. 1 H317 Skin Sens. 1



According to Hazard Communication Standard (29 CFR 1910.1200)

Tetrahydromethylphthalic anhydride NT

Issue date: 07/14/2015 Version 1.0 Revision date: 07/14/2015

4. First Aid Measures

First aid procedures:

Eye contact: In the case of contact with eyes, rinse immediately with plenty of water for several

minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center /doctor.

Skin contact: After contact with skin, Take off contaminated clothing and wash it before reuse.

Wash immediately with plenty of soap and water. If skin irritation or rash occurs:

Get medical advice/attention.

Inhalation: Remove person to fresh air and keep comfortable for breathing. If breathing is

irregular or stopped, administer artificial respiration. If symptoms persist, call a

poison center /doctor.

Ingestion: Call a physician immediately. Clean mouth with water. Do not induce vomiting

without medical advice. Never give anything by mouth to an unconscious person.

Notes to physician: Treat symptoms.

5. Fire Fighting Measure

Flammable properties: Not available.

Extinguishing media:

Suitable extinguishing media: Foam, carbon dioxide (CO₂), powder, water spray.

Unsuitable extinguishing media: Do not use water jets as they can disperse and spread fire.

Firefighting equipment/instructions: In the event of fire, wear self-contained breathing apparatus. Water

mist may be used to cool closed containers. Use personal protective

equipment to protect skin/eyes.

Hazardous combustion products: In combustion emits toxic fumes of carbon dioxide / carbon monoxide.

6. Accidental Release Measures

Personal precautions: Move any people not authorised to contain the emergency out of the area. Avoid

coming in contact with the substance or handling containers without adequate protection. Use the personal protective equipment described in section 8. Use a respirator in the event of emissions/spillage of large quantities. Eliminate all sources of ignition. Remove all incompatible materials as outlined in section 10

of SDS.

Environmental precautions: Contain the spillage as far as possible. Prevent spilled materials getting into the

drainage system, wells, surface water or groundwater. In the case of leaks into a water course, drains, or if the product has contaminated the ground or

vegetation, contact the local authorities.



According to Hazard Communication Standard (29 CFR 1910.1200)

Tetrahydromethylphthalic anhydride NT

Revision date: 07/14/2015 Issue date: 07/14/2015 Version 1.0

Methods for cleaning up:

Do not use equipment that can generate sources of ignition when cleaning. If possible, vacuum up the spilled material and/or absorb parts that can't be vacuumed up with inert materials (sand, earth, absorbent materials) and place in suitable containers (separate liquids and solids) for disposal in accordance with section 13. After collection, ventilate and clean the affected area with water before granting access. Do not flush the water used for cleaning into watercourses or down drains.

7. Handling and Storage

Handling: Provide sufficient air exchange and/or exhaust in work rooms. Avoid contact with skin and

> eyes. Take precautionary measures against static discharges. Avoid breathing vapors. Do no eat, drink or smoke when using this product. Wash hands thoroughly after handling. Take off contaminated clothing and wash it before reuse. For precautions see section 2.2.

Eliminate all sources of combustion. Keep container hermetically closed in a dry and well Storage:

ventilated environment. Do not store near heat sources or expose to direct sunlight, to preserve the quality of the product. Keep away from incompatible materials (see point

10.5). Keep away from food, feed and beverages.

8. Exposure Controls / Personal Protection

Control parameters:

OCCUPATIONAL EXPOSURE LIMITS (OEL):

INGREDIENT DATA: Not Available

EMERGENCY LIMITS:

Ingredient	TEEL-1	TEEL-2	TEEL-3
1,2,3,6-tetrahydro-3-methylphthalic anhydride	7.7 mg/m ³	85 mg/m ³	510 mg/m ³
1,2,3,6-tetrahydrophthalic anhydride	16 mg/m ³	180 mg/m ³	1100 mg/m ³

Ingredient	Original IDLH	Revised IDLH
tetrahydro-4-methylphthalic anhydride	Not Available	Not Available
1,2,3,6-tetrahydro-3-methylphthalic anhydride	Not Available	Not Available
1,2,3,6-tetrahydrophthalic anhydride	Not Available	Not Available
hexahydro-4-methylphthalic anhydride	Not Available	Not Available

Exposure controls:

Appropriate engineering controls: Use in a well-ventilated area.

Individual protection measures, such as personal protective equipment:

Eye / face protection: Goggles or protective visor.



According to Hazard Communication Standard (29 CFR 1910.1200)

Tetrahydromethylphthalic anhydride NT

Issue date: 07/14/2015 Version 1.0 Revision date: 07/14/2015

Skin protection: The material the gloves are made of must be impermeable and stable when in

contact with the substance. No specific information available on the suitability of the material and thickness of the gloves. Consult the glove manufacturer for specific information on the suitability of the gloves. Replace the gloves in the case of internal contamination, when punctured, or if external contamination cannot be removed. The actual duration of protection depends on the conditions of use. Wear protective clothing resistant to chemical substances.

Respiratory protection: Mask with A type filter for vapors and organic gases with a boiling point >65°C.

(EN 149).

General hygiene Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working

before eating, smoking and using the lavatory and at the end of the working period. Keep away from foodstuffs, beverages and feed. Immediately remove

all soiled and contaminated clothing.

9. Physical & Chemical Properties

Appearance:

Vapor pressure:

Physical state: Liquid Form: Liquid

Color: Pale yellow
Odor: Characteristic
Odor threshold: Not available
pH: Not available

Melting point/Freezing point: 19.3 °C (CAS#34090-76-1) initial boiling point and boiling range: 297 °C (CAS#34090-76-1)

Flash point: 160°C

Evaporation rate: Not available **Flammability (solid, gas):** Not available

Explosion limits: Upper 10.5 % Vol.

Lower 1.7 % Vol.

2 mmHg at 120°C

Vapor density: Not available

Solubility (water): 176 g/l at 20°C (as acid form) **Partition coefficient:** log Pow= 1.88 (CAS#34090-76-1)

Auto-ignition temperature: 415 °C(CAS#34090-76-1)

Decomposition temperature:Not availableSpecific gravity:Not availableRelative density:1.20 at 25 °C



According to Hazard Communication Standard (29 CFR 1910.1200)

Tetrahydromethylphthalic anhydride NT

Issue date: 07/14/2015 Version 1.0 Revision date: 07/14/2015

Flammability limits in air, upper, %by volume:

Flammability limits in air, lower, % by volume:

VOC (Volatile Organic Compounds):

Not available

Not available

Molecular Formula:

Not available

Not available

Not available

Other data:

Viscosity: 50-70 mPa.s at 25°C

10. Chemical Stability & Reactivity Information

Reactivity: Stable under normal conditions.

Chemical stability: Material is stable under normal conditions.

Conditions to avoid: Incompatible materials. Avoid the build-up of electrostatic charges.

Avoid exposure to heat sources.

Incompatible materials: Oxidizing agents, amines, alkali metals.

Hazardous decomposition products: Toxic fumes of carbon dioxide / carbon monoxide.

Possibility of hazardous reactions: No decomposition when used as directed.

11. Toxicological Information

Toxicokinetics, metabolism and distribution:

Non-human toxicological data: Not available

Information on toxicological effects:

Acute toxicity:

tetrahydro-4-methylphthalic anhydride (CAS# 34090-76-1):

LD50(Oral, Rat): > 2000 mg/kg bwLD50(Dermal, Rat): > 2000 mg/kg bwLC50(Inhalation, Rat): Not available

1,2,3,6-tetrahydro-3-methylphthalic anhydride (CAS#5333-84-6):

LD50(Oral, Rat): > 2000 mg/kg bw
LD50(Dermal, Rat): > 2000 mg/kg bw
LC50(Inhalation, Rat): Not available

Skin corrosion/Irritation: Not classified

Serious eye damage/irritation: Causes serious eye damage.



According to Hazard Communication Standard (29 CFR 1910.1200)

Tetrahydromethylphthalic anhydride NT

Issue date: 07/14/2015 Version 1.0 Revision date: 07/14/2015

Respiratory or skin sensitization:

Respiratory sensitization: May cause allergy or asthma symptoms or breathing difficulties if

inhaled.

Skin sensitization: May cause an allergic skin reaction.

Germ cell mutagenicity: Not classified

Carcinogenicity: Not classified

Reproductive toxicity: Not classified

STOT- single exposure: Not classified

STOT-repeated exposure: Not classified

Aspiration hazard: Not classified

12. Ecological Information

Toxicity:

tetrahydro-4-methylphthalic anhydride (CAS# 34090-76-1):

Acute toxic	ity	Time	Species	Method	Evaluation	Remarks
LC50	> 100 mg/L	48h	Fish	OECD 203	N/A	N/A
EC50	130 mg/L	48h	Daphnia	OECD 202	N/A	N/A
EC50	75 mg/L	72h	Algae	OECD 201	N/A	N/A

1,2,3,6-tetrahydro-3-methylphthalic anhydride (CAS#5333-84-6):

Acute toxic	city	Time	Species	Method	Evaluation	Remarks
LC50	> 100 mg/L	48h	Fish	OECD 203	N/A	N/A
EC50	130 mg/L	48h	Daphnia	OECD 202	N/A	N/A
EC50	68 mg/L	72h	Algae	OECD 201	N/A	N/A

Persistence and degradability: tetrahydro-4-methylphthalic anhydride (CAS# 34090-76-1):

Abiotic degradation:

Hydrolysis: Half-life (DT50): 3.2 min at 20°C Rate constant: Phototransformation in air: Half-life(DT50): 19 h (Estimate);

Biotic degradation: Not Readily biodegradable.

This substance is hydrolysed rapidly in a few minutes; therefore

exposure of the aquatic and terrestrial compartments for

this substance are unlikely.

1,2,3,6-tetrahydro-3-methylphthalic anhydride (CAS#5333-84-6):

Abiotic degradation:

Hydrolysis: Half-life (DT50): 3.2 min at 20°C Rate constant: Phototransformation in air: Half-life(DT50): 6.29 h (Estimate);



According to Hazard Communication Standard (29 CFR 1910.1200)

Tetrahydromethylphthalic anhydride NT

Issue date: 07/14/2015 Version 1.0 Revision date: 07/14/2015

Biotic degradation: Not Readily biodegradable.

This substance is hydrolysed rapidly in a few minutes; therefore

exposure of the aquatic and terrestrial compartments for

this substance are unlikely.

Bioaccumulative potential: tetrahydro-4-methylphthalic anhydride (CAS# 34090-76-1):

BCF = 20.9 L/kg or dimensionless.

Partition coefficient: log Pow= 1.88 (40°C) (as anhydride form) Partition coefficient: log Pow= 0.11 (40°C) (as acid form)

1,2,3,6-tetrahydro-3-methylphthalic anhydride (CAS#5333-84-6):

BCF = 6.6 L/kg or dimensionless.

Partition coefficient: log Pow= 1.75 (40°C) (as anhydride form)

Mobility in soil: tetrahydro-4-methylphthalic anhydride (CAS# 34090-76-1):

The potential for adsorption can be expected to be low (the substance has a low octanol water partition coefficient of 1.88 and the substance

is not hydrolytically stable).

1,2,3,6-tetrahydro-3-methylphthalic anhydride (CAS#5333-84-6):

logKoc: ca. 1 at 20°C; Koc 10 at 20°C.

Results of PBT / vPvB assessment: tetrahydro-4-methylphthalic anhydride (CAS# 34090-76-1):

Based on available information, the substance is not a PBT/vPvB.

1,2,3,6-tetrahydro-3-methylphthalic anhydride (CAS#5333-84-6):

Based on available information, the substance is not a PBT/vPvB.

Other adverse effects: No known significant effects or critical hazards.

13. Disposal Considerations

Disposal instructions: Dispose of contents/container in accordance with

local/regional/national/international regulations.

Contaminated packaging: Since emptied containers may retain product residue, follow label

warnings even after container is emptied.

14. Transport Information

DOT

Basic shipping requirements:

UN number:
Proper shipping name:
Hazard class:
Not regulated
Not regulated
Not regulated
Not regulated

Environmental hazards: No.



According to Hazard Communication Standard (29 CFR 1910.1200)

Tetrahydromethylphthalic anhydride NT

Issue date: 07/14/2015 Version 1.0 Revision date: 07/14/2015

IATA

UN number:

UN proper shipping name:

Transport hazard class(es):

Packing group:

Not regulated

Not regulated

Environmental hazards: No

IMDG

UN number:

UN proper shipping name:

Transport hazard class(es):

Packing group:

Not regulated

Not regulated

Not regulated

Environmental hazards: No

15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture:

tetrahydro-4-methylphthalic anhydride (34090-76-1):	"US Toxic Substances Control Act (TSCA) -	
is found on the following regulatory lists	Chemical Substance Inventory" List.	
1,2,3,6-tetrahydro-3-methylphthalic anhydride (5333-84-6):	"US Toxic Substances Control Act (TSCA) -	
is found on the following regulatory lists	Chemical Substance Inventory" List.	
1.2.2.6 totrobydrophtholio ophydrido (95.42.9);	"US EPCRA Section 313 Chemical" List.	
1,2,3,6-tetrahydrophthalic anhydride (85-43-8): is found on the following regulatory lists	"US Toxic Substances Control Act (TSCA) -	
	Chemical Substance Inventory" List.	
hexahydro-4-methylphthalic anhydride (19438-60-9):	"US Toxic Substances Control Act (TSCA) -	
is found on the following regulatory lists	Chemical Substance Inventory" List.	

16. Other Information

HMIS®ratings: Health: 3

Flammability: 1 Physical hazard: 0

NFPA ratings: Health: 3

Flammability: 1 Instability: 0



According to Hazard Communication Standard (29 CFR 1910.1200)

Tetrahydromethylphthalic anhydride NT

Revision date: 07/14/2015 Issue date: 07/14/2015 Version 1.0

Acronyms:

ACGIH: American Conference of Governmental Industrial Hygienist.

B: Bioaccumulable.

BCF: Bioconcentration Factor.

U.S. Department of Transportation. DOT:

EC50: Effective Concentration 50 (that produces an effect (other than death)

for 50% of organisms test).

EPA: Environmental Protection Agency.

Globally Harmonized System of Classification and Labeling of Chemicals. GHS:

IATA: International Air Transport Association.

IBC: International code for the construction and equipment of ships carrying.

dangerous Bulk Chemicals.

ICAO: International Civil Air-transport Organisation. IDLH: Immediately Dangerous to Life and Health. IMDG: International Maritime Dangerous Goods code.

Koc: Organic carbon/water partition coefficient (adsorpion coefficient).

Kow/Pow: n-octanol/water partition coefficient.

LC50: Lethal Concentration for 50% of animal test.

Lethal Dose for 50% test animal. LD50:

P: Persistent.

PBT: Persistent, Bioaccumulable and Toxic.

SDS: Safety Data Sheet.

STOT: Specific target organ toxicity.

Temporary Emergency Exposure Limits. TEELs;

TLV: Threshold Limit Value.

TLV-C: Threshold Limit Value - Ceiling.

TLV-STEL: Threshold Limit Value - Short Term Exposure Limit. TLV-TWA: Threshold Limit Value - Time Weighted Average.

vPvB: very Persistent and very Bioaccumulable.

Disclaimer The information in the sheet was written based on the best knowledge and experience

currently available.

Issue date 07-14-2015